

[illegible]

000000000000 00000000 000000 00 0000 00 0000 (00), 0000-00000000
 0000000000 000, 0000000 : 000000000000 000, 0000-0000000000, 0000 -
 000000, 00000000 : 000000- 0000000000, 0000- 0000000000, 0000-
 0000000000, 0000 -000000

[illegible][illegible]

በዚህ ሰነድ ላይ የተገለጹት የጥራት መለኪያዎች (ቦታ), የጥራት- የጥራት መለኪያዎች, የጥራት- የጥራት መለኪያዎች, የጥራት- የጥራት መለኪያዎች : የጥራት- የጥራት መለኪያዎች (የጥራትመለኪያዎች የጥራት መለኪያዎች), የጥራት-የጥራትመለኪያዎች, የጥራት -የጥራትመለኪያዎች,

[illegible]

በግልጽ በሚታወቅ የሚገኝ (በግልጽ)፣ በግልጽ- በግልጽ የሚገኝም በግልጽ፣ በግልጽ- በግልጽ የሚገኝም፣ በግልጽ በ ግልጽ-በግልጽ

00000000 000000 0 00000000000000 00(00) 00 000-000000 000000 000
 00000 0000000000000, 000 000000 00- 000000-0-00-0000, 000 0000000
 00-DHXC MF22576, 000000 00-PSUA11CY2MTJ34746, 00 0000000 0000000
 0000 00000000 00000000000 00000000000000 00 (00) 00 000-000000
 0000000 000 0000 0000000000000, 000 0000000 00-DHXC NM35235, 000000
 00-PSUA11CY4NTB70342, (0000000000 0000000) 00 (00) 00 000000-000
 000000 0000000 000 0000 0000000000000, 000 0000000 00- DHXC ND24830,
 000000- PSUA11CY1INTH94518.

000000 0000000000 000000000000 0000000 000 000 0000000000
 000000000000 000000000 00000000000 000 000000 000000 00-000 000
 0000000 0000000000000 0000000000 0000000 00000000 000 000