

The diagram consists of two rows of boxes. The top row has 10 boxes, and the bottom row has 10 boxes. The boxes are arranged in a way that suggests a sequence or a pattern, with some boxes containing numbers and others being empty.

000000000000 0000000000 0000 00000 00000000 000000 00000000  
 00000000 000000000000 0000 000 00000 0000000 00000 000 00000  
 0000000000000000

00000000 00000000 000000000000 00000000 000 00000000 00000000 000  
 00000000 000000000000 0000 00000000 0000 000 0000 00000000 00  
 000000000000000000 00000000 00000000 00000000 00000000 0000 000000

[illegible]

00000000 00 00 00000000 0000000000 0000 0000 0000000000  
 000 00000000 0000 0000000-00000000 0000 0000000000 000 0000000000  
 0000000000 000000000 0000 0000 0000000000 00000000 00000000  
 0000000000 0000000000 000000 0000 000 00000 00000000000 000000  
 00000000000 0000000 00000000000 000000000000 000000 00000000 00000000000  
 000000 0000000 0000 0000000000 000000000 000000000000 0000000 00000000  
 0000000000 000 000000 00000000 00000000 00000 000000 000 0000000 00000000  
 000000 0000000000 000 000000 00000000 00000000 000000 000 000000

00 000 00 00000 00000000 00000000 0 00000 00000000 000000000000  
 00000000 000 00000 000000 0000000 000000 00000 00000000,  
 ‘000000 00000 000 000 000000 000 000000000 0000000000 000000  
 00000000 00000000 00000 000000000 000000 000000000 000 00000’

[illegible]