

0000000000000000 00000000 00000000 0000000000 00000000 0000 000000
 000000 0000 00 0000000000 000000 00000000 000000 0000 00000000

000000 000000 00000 0000 000000000000 0000000 0000000000 0000000
 00 0000000000 000000000 000 000000000 00000000 000000000 000
 00000000 000000 0000 0000

00000000 000 000000000 0000 000000 0000 0000000000 0000000000
 000000 00000 00000 000000000 0000 00000000 00000000 0000 00000000
 00000000 0000 00000000

[illegible]

000000000 00000 000000000 00 000000000 0000 000 000 000000 000
 000 0000 000000000 000000000000000 0000000 00000
 00000 0000000 000 000

The diagram illustrates the representation of numbers from 0 to 29 using boxes:

- Row 1 (0-9):** Each digit is represented by a single box.
- Row 2 (10-19):** Each number is represented by two adjacent boxes.
- Row 3 (20-29):** Numbers 20-24 are represented by three adjacent boxes, while 25-29 are represented by four adjacent boxes.

0000000000 0000 00000000 000000 0000 0000000000000 000000 000
 0000000000 000 0000000000 0000000 00000000 0000000 000 000000 000
 0000000

00000000 00, 00000 0000 00000 0000000000 00000000000000 00000
 0000 0000 0000 00000000 0000000000 0000 00000 00000000 000
 00000000 0000000 0000 00 000 00 000 00000 000 0000000 0000 000
 000 0000000 00 00000000 000000 000 000 0000 000000 0000 0 000000
 000000 00000 00000 000000 00

[illegible]

00000000 0000 0000 0000 0000 000 000000 0000 00000000
 0000000000000 00000000 000 00000 00000000000 0000000000 00000
 0000000 0000 0000 00000000000000 000 0000 000000 00000000000 00000
 00000000 00000000 000000000 00000000 00000000 0000000 00000 000000
 0000000 000000 00000000 00000

00000000 000000 0000 00 0000000 000000 0000 0000000 000 000000
 000000000000 00 000 000 0000 0000 000 0000 000 0000 000000000 000
 0000 00 000000000 00000000

[illegible][illegible]

000000 0000 0000000000 000 000000 000 0000, 000 00000 00000
00000 0000000000 00000 000000 0000000000 0000000 00000 000

000000000 00000 0000 000000 0000000 000000 0000 00000000 00
 000000000 0000 0000000 0000000000 00000 0000 00000 00 000000
 0000 000 0000 000000 000 000000 0000000000000 0000 000 0000000

00000000 00000000 00000000 000000000000 00000000 000000 000 0000, 0000
 00000000 00000000 0000 0000 0000 000000 000 000000 00000000 0000 000
 000 000000 000 0000 00000000 0000000000000 0000 0000000000

The diagram consists of two rows of rectangular blocks. The top row has 7 blocks, and the bottom row has 6 blocks. The blocks are arranged in a way that suggests a subtraction problem: 7 minus 6 equals 1.

□□□□□□□□ □□□□□□ □□□□□□□□ □□□□□□□□ □□□□□□□□□□ □□ □□□□□□□□
□□□□ □□□□□□ □ □□□ □□□□ □□□□ □□□ □□□□□□

በግልጽ በሚታወቅ ሁኔታ ለሚኖሩ ሰዎች ለሚከተሉት ምክንያቶች ማዕከላዊ ምርመራ ማድረግ ይገባል፡

[illegible]