

□□□□□□□□□□      □□□□□□□□      □□□□

□□□□ - □□□□      □□□□      □□□□      □□□□

□□□□□□□□      □□□□□□□□

000000000 00000000 00000000 00000000 0000 00000000 00000000 0000  
 0000 0000 0000 0000 00000000 00000000 00000 00000 000000000000  
 000 00000000 0000000000

[illegible]

00000000 0 00000000 0000 000, 0000000000 00000 0000000000  
 00000000 00000000 00000000 0000 00000000 0000000000 00000000  
 000000 0000 0000000000 (0000 00000) 0000 0000 0000 0000 0000  
 000000 0000 0000 00000000 00000000 000 00000000 000 000  
 000000000000 0000 000000000 000000 00 0000 000000000000 000000 0000  
 0000 0000 000 000000 0000-0000 0000 000 0000 000000 000000  
 00000000 0000 0000 0000000 000 0000000

[illegible]

0000000 0000 00000 000000 0000 000 000000000 00000 00000 0  
 00000000 000000000 00000 000000 0000 000000 000000000 0000  
 000000000 00000 00000000 00000000 00000000 000 000000 00000000  
 0000000 00000000 000000000 00000 0000 00000000 000000 00000000

0000000000 0000 00000000 0000, 000 00000000 0000 00000000 0000  
 00000 00000 000000 00 000000 00000000000 00000 0000 0000 0000  
 0000 0000 0000 0000 00000000 000000 0000-0000 0000 0000 00000000  
 0000 0000000 0000 000000 000 000 00000000 000 0000 00000000 000000  
 0000 000 000000 00 000000 0000 0000 000 0000 00000000 000 0000  
 00000000 00000000 000 000000 00000000 00 0

□□□ □□□□ □□□□□ □□□□□□□ □□□ □□□□□

□□ □□□□□ □□ □□ □□□□ □□□□□ □□□ □□□□□□ □□□ □□ □□□□  
□□□□□□□ □□

□□□□-□□□□ □□□ □□□□□□ □□□□□□□□ □□□□ □□□□□□□□ □□□□□□□□

[illegible][illegible]









[illegible][illegible]

“□□□ □□□□□□ □□□□□□ □□□□□ □□ □□□□□□□□” □ □□□□□ □□□□□□ □□□□□ □□□□□

[illegible]

The diagram illustrates the composition of the number 30 using various combinations of rectangular blocks:

- Row 1:** Four groups totaling 30 blocks. The first group contains 10 single blocks. The second group contains 5 blocks arranged in a vertical column. The third group contains 2 blocks side-by-side. The fourth group contains 4 blocks arranged in a 2x2 square.
- Row 2:** Three groups totaling 30 blocks. The first group contains 4 blocks arranged in a vertical column. The second group contains 8 blocks arranged in two columns of four. The third group contains 7 blocks arranged in two columns of three with one additional block below them.
- Row 3:** Three groups totaling 30 blocks. The first group contains 6 blocks arranged in two columns of three. The second group contains 3 blocks arranged in a horizontal row. The third group contains 5 blocks arranged in two columns of two with one additional block below them.

0000000000 00000000 000 000000 00000000 0000000000 0000000000 00000000  
 0000000 000 000000 0000000000 00000000 0000 000, 0000000 0000000  
 0000000000 000000000000 0000000000 0000000000 0000000000 000000000000  
 000000 00000 0 000000 00000000 00000000 0000000000 000 000000 0000000000





