

The diagram consists of three horizontal rows of rectangular boxes, each box representing a unit of data or memory. The first row contains four groups of boxes: a group of 8 boxes, a group of 6 boxes, a group of 4 boxes, and a group of 6 boxes. The second row contains three groups: a group of 4 boxes, a long group of 12 boxes, and another group of 10 boxes. The third row contains two groups: a group of 6 boxes and a group of 6 boxes.

0000000-0(0000000) 0000 000000 000 0000000 00000 00000000  
 00000000 000000 000000 00000 0 00000000 000000 0000000  
 00000000000 000000 000 0000 000000 0000000000000000 00000  
 00000000000 00000 000000 00000000 00000 00000 00000000 0000000000  
 000000000 000000 000000 00000000 0000000000

00000000 00000000 000000000000 0000 00000000 000000 0000 00000000 00  
 00000000000000 00000000 000000000000000000 000 00000000 00000000 000000000000  
 000 000000000000000 00000000 0000000000 00000000 0 00000000 00000000  
 00000000 00000000 000 0000000000 00000 00000000 000000 00000000 0000000000

[illegible][illegible]

0 000 000000000 00000 00000 00000 000000000 000000000 00000  
 00000 00000000 00000000 000000000 000000000 00 00000 0000 00000  
 00000000

[illegible]



□□□□