

00000000 0000000000 00000 000000 0000000000 00000000 0000000000
 0000000000 000000000000 0000 0000 00000000 0000 00000

[illegible]

00000000 0000 00000 000000 00000 000000000 00000 00000
 000000000 0 00000000 000 00000 0000 0000 000000 0000 000000000
 0000000000 00000000 0 00 000000 000000000 00000 000 00000000
 0000000 000000

[illegible][illegible]

00000000-00000000 00000000 00000000 00000 000000 00000
0000000000000 00000000 00000000 00000000 000 00000000 0000 0000
000000

[illegible]

[illegible]

The diagram illustrates three different ways to represent the same total value using rectangular boxes:

- Row 1:** 9 boxes + 6 boxes = 15 boxes
- Row 2:** 5 boxes + 4 boxes = 9 boxes
- Row 3:** 7 boxes = 7 boxes

0000000000 00000000 00000000 0000000000 000000 0000 000000
 00000000 000000 00000 000000000 000000 0000 00000000 000000
 00000000

[illegible][illegible]

00000000 000000 0000000 0000000000000000 000000 000000000 000000
 000000000000 000000 000000000000 00000000 000000 0000 00000000
 00000000000 0000000000 00000000 000000 00000000 00000 00 000 0000 0000

