

The diagram illustrates three different ways to represent the number twenty using rectangular blocks:

- Row 1:** Two groups of ten blocks each, totaling twenty.
- Row 2:** Five groups of four blocks each, totaling twenty.
- Row 3:** One group of eight blocks and one group of four blocks, totaling twelve.

00000000 00000000 00000000 00000000 0000 0000 000000
 00000000 0000 0000 000 000000 000 00000000000000 0 000 0000 00
 000000 00 000 000000 00000000 0000 000 0000 000000 0 000000 000000
 000000 00000000 000000 000 000000

0000000000 0000 00000000 0000 (00) 000 00000000 0000000000 000
 000 00000000 00000000 0000 00000, 0000 000000 00000 00 00000000
 0000 0000 000000 00000000 00000000 000000000 0 00000000 00000000
 00000000 000 000000 00000000 00000000 0000 000000 00000000 0000

0000000000 00 00000000 0000 0000 0 000000 00000000 0000 000000
 00000000 000000 000000 000000 000000 0000 000 0000 00000000 0000 0000
 000 00000000 000 0000 00000000 00000000 0000 0 000 0000000000000000
 000 000 0 000 0000 0000 000000 0000000000 000000000000 00000000 0000
 00000 0 000 0000000000 000 000000 00 000 000000

0 00000 0000 00000000 0000 000000000 000 00000 000000 0000000000
00000000 00000000 000000 00000000

[illegible]

0000000000 0000 0000 0000 00 00000000 00000000 000000 000000 00
 00000000 000000 0000000000 00000000 00000000 0000 00000000 00000000
 000000 00000000 0000000000 0000 000000 00000000 000000 0000 0 0000000000

□□□□□□□□ □□□□ □□ □□□□