

□□□□□□□□ □□□□□□-□□□□□□□□

[illegible]

000000 000000 0000 0000 000000 000000 0000000000 00 00000000
 00000000 0000000000000000 0000000000 0000 000000 00000000 00000000
 00000000 00000000 0000000000 000000000000000000 000000 000000000000 00 00
 (00:) 000000 00000000 0 0 00 00 00000000 00000000 00 00000000 00000000
 00000 000000 0000000000 000000000000 000000000000000000 00000000 0000 00000000
 00000000

000000 0000000 000000000 000000 00000000 0000000000 0000000
 000 000 00 00000 000000000 00 00 000000 00000 0:00 000000
 000000000 0000 (00) 0000 000000 0000000 '00' 000 000 000000

00 0000000 000000000 0000 00000 0000000 000 0000 00000 0000
00000000000 0000000000 0000 000000 00000 0000 000 0000000

[illegible]

00000000 0000 0000 000000000000 0000 0000000 0000000 000000 00000000
0000000 000 0000000

00 000000 000000 00000000 0000 00000000 000000000000 00000000
00000000 00000000 00000000 (0000) 0000 000000 00000000 0000 0000

□□□□□□ □□□□□ □□□□□□□□ □□□□ □□ □□□□□ □□□□□□□ □□□□ □

□□□□□□ □□□□□□□□ □□□□□□□ □□□□ □□ □□□□ □□□□□□ □□□□□□ □□□□

00000000 00000000 00000000 00000000 (0000) 0000 00000 0000,00000000
 00000000000 0000 00000000 0000 000000000 000 0000000000 0000000 0000
 00 000 000 00000000 000000000 0000 000000 0000 0000000 000000
 00000000 000000 0 0000 00000000000 000 0000000 0000 000000 000000000
 0000000 0000000000 0000000 000 0000000000000 0 0000000 000000000 0000000

The diagram illustrates the addition of three numbers represented by blocks:

- Row 1:** Two groups of ten blocks each, totaling twenty.
- Row 2:** One group of ten blocks followed by four groups of five blocks each, totaling thirty.
- Row 3:** Two groups of five blocks each, totaling ten.

[illegible]

□ □□□□ □□□□ □□□□□ □ □□□□□□□□ □□□ □□□ □□□□□□□□ □□□□□

□□□□□□□□

[illegible]

□□□□□□□□ □□□□ □□□□□□□□ □□□□ □ □□□ □□□□ □□□□□□□□ □□□□□□□□

