

00000 00000 000000 0000000 0000000 000000 0000, 000000 000,
 00000 00000 000000 000000 0000 000000, 000000 0000000 000000
 00000 00000

[illegible]

00000000 00000 0000 0000 00000000000 000000 000000 00000 00000
 00000000000 00000000000000 000000 00000000 00000 000000000 000000
 00000 00000000 00000 0 000 0000 000000000000 00000 0000 000000
 00000000 00000000 0000000000 000

0000000 00000000 000 000000000000 00000000 00000000 0000 000000
 00000000 00000000 000 0000 0000000000 00 000000 00000000 000000
 00000 00000 00000 00000000000000 00000000 000000000

[illegible][illegible]

[illegible]

The diagram illustrates a memory layout or data structure across three rows:

- Row 1:** Contains 9 rectangular boxes.
- Row 2:** Contains 10 rectangular boxes.
- Row 3:** Contains 6 rectangular boxes.

[illegible]

00000000 0000000000 000000 00 00000000 000000 0000000000 0000 0000
 000000 000 000000000 000 00000000 0000000 0000000 0000000000 0
 000000000 0000000 000 00000000'0 0000000000-000000000000000000
 000000000 0000 000000000 000000-00000000 (0000000) 00 00 000000
 000000 000000000000 000000000000 00000000 000000, 000 00000000000
 00000000000000 (0000000) 000000 0000000 00000000 00-00000000 (000000)
 000000000 0000 000000000 00-00000000 (000000) 00-00000000 (000)
 0000 00000000 000000,

〇 〇〇 〇〇 〇〇〇〇〇〇〇〇 〇〇〇〇〇〇〇〇, 〇〇-〇〇〇〇〇〇〇〇 (〇〇〇 〇〇〇) 〇〇-〇〇〇〇〇〇〇〇
 (〇〇〇〇〇〇〇〇〇) 〇〇〇〇〇〇 〇〇, 〇〇-〇〇〇〇〇〇〇〇 (〇〇〇〇 〇〇〇) 〇〇〇〇〇〇〇〇〇〇
 〇〇〇〇〇〇〇〇〇〇〇 〇〇 〇〇〇〇〇, 〇〇〇〇〇〇 〇〇〇〇〇〇 〇〇〇〇〇〇〇 (〇〇〇 〇 〇〇〇 〇〇〇
 〇〇〇〇〇〇〇〇〇) 〇〇〇〇〇 〇〇〇〇〇, 〇〇〇〇〇〇 〇〇〇〇〇, 〇〇〇〇〇〇 〇〇〇〇〇〇〇〇 〇〇〇〇
 〇〇〇〇〇〇〇 〇〇〇〇〇, 〇〇-〇〇〇〇〇〇〇〇 (〇〇〇〇〇) 〇〇〇〇 〇〇〇〇〇〇〇〇 〇〇〇〇, 〇〇-〇〇〇〇〇〇〇〇
 (〇〇〇〇〇〇〇) 〇〇〇〇〇〇〇〇〇〇 〇〇〇, 〇〇〇〇〇〇〇〇 〇〇〇〇〇〇〇,〇〇〇〇〇〇, 〇〇〇〇〇〇〇, 〇〇〇〇〇〇,
 〇〇〇〇〇〇〇, 〇〇〇〇〇〇〇〇〇 〇〇〇〇〇〇〇〇〇

