









000000

00 00 000 0000 00000000 00000000 000 000 00000000 0000000000  
0000000 000 0000 00000000 00000000 000000 000 000000000 0000000 00  
000 00000 00000000 0000 0000000000 000000 000000

000000000000 000000 0000000000  
0000000000000 00000000 00000000 0 00  
00000000 000000000000

000000000 0000 00000000 00000000000 0 000 0000000 0000000 000000  
0000000 0000000 0000000 0 00 0000000 0000000000 00000000 0000000 0000-  
0000000 0000000 0000000000 000000 0000, 000000 0000000 00000000 000000,  
00000000000 000000 000 0000000000 000000 000000 0000000  
00 0000000000 0000 0000000000 000000000 0000 0000000000000 0000000 000000  
0000 00000 000000000 0000 000 000000 0000 000000000

0000000000000 000000 00000000 00. 000000 0000000 000000, 0 000000000 0000  
000000000 0000000000000 0000000 000000000 0 0000 000000 0000 (0000- 00 ,  
000000 -00, 0000000000 -00) 00 000000000 0000000000 000000 00 000000 00  
00 000000 00000000, 0 00 00000 00000000 00 00000 000000000 0000 00000000

000000000000000 00000000000000000 000 000000  
00000000000

00000000000000 00000000000000 00 00000 000000000 00000000 0000000000000 00000000





□□□□ □□ □□□□ □□□□ □□□□ □□□□□□ □□□□□□□□ □□□□

[illegible]

0000 00000000 00000000 000000 00000000 00000000 000000 00000000  
 000000 000000 000000

00000000 0000 0000 00000000 00000000 000 000000 0000 0000 0000 0  
00000 00000 00000 000000 000000 00000

በሀገር ውስጥ በተካሄደው የመጀመሪያ ምርመራ መሠረት፣ የቅርንጫፍ ስርዓት አፈጻጸም በአጭር ጊዜ ውስጥ ተጠናቋል።

[illegible][illegible][illegible]





